

BULK CARGO LIQUEFACTION THE CAN TEST **DELIVERY GUIDE**







www.nepia.com





P&I Association Limited



P&I Association Limited



DELIVERY GUIDE

This delivery guide provides the background, instructions and content to support senior officers and superintendents delivering can test training to ship's officers and crew.

YOU WILL NEED

1 hour preparation time to familiarise yourself with this guide, the participant pack and the video.

Audio-visual equipment to show The Can Test video with seating and table space for all your participants.

One participant pack printed for each participant.

A suitable space to carry out a can test.

Enough cans of the correct dimensions for each of the participants to carry out a can test.

Enough cargo samples to create a PASS sample and a FAIL sample for each of the participants to carry out and compare can tests . In order to ensure a sample will FAIL, weigh the material which will be used as the FAIL sample, calculate the weight of water which corresponds to the flow moisture point based on the information provided in the cargo declaration and thoroughly mix the water through the sample. See following simple example for determining required weight of water:

weight of sample - 5kg

flow moisture point as per cargo declaration – 20%

5kg x 20% = 1kg of water

If this does not produce a failure it may take trial and error adding more water to produce a sample that fails.

20 minutes delivery time.

TOP TIPS!

Present with passion! Be enthusiastic and supportive of the content, let the participants know you are there to help and support them.

Make eye contact with every participant and smile, it's OK to have fun while you learn!

Respect the participants' experiences and encourage them to draw on them, use the knowledge in the room.

Treat all contributions from participants as confidential – let them know this is a safe place to learn from mistakes.

GETTING STARTED

Before you deliver this training package it is important that you familiarise yourself with its content, even if you are confident in your own ability to carry out a can test.

This delivery guide supports the participant workbook and contains the answers to the short exercises in the participant workbook.

The video, participant workbook, and this delivery guide are all drawn from the *IMSBC Code Section 8* which states:

8.4 Complementary test procedure for determining the possibility of liquefaction

8.4.1 A ship's master may carry out a check test for approximately determining the possibility of flow on board ship or at the dockside by the following auxiliary method: Half fill a cylindrical can or similar container (0.5 to 1 L capacity) with a sample of the material. Take the can in one hand and bring it down sharply to a hard surface such as a solid table from a height of about 0.2 m. Repeat the procedure 25 times at one - or - two second intervals. Examine the surface for free moisture or fluid conditions. If free moisture or a fluid condition appears, arrangements should be made to have additional laboratory tests conducted on the material before it is accepted for loading.

8.4.2 If samples remain dry following a can test, the moisture content of the material may still exceed the Transportable Moisture Limit (TML).

TRAINING SCHEDULE



This training package takes about 20 minutes to deliver.

Time	Section	Resource
2 minutes	Introduction	Workbook
4 minutes	The Can Test	Video
2 minutes	Choose Your Can	Workbook
8 minutes	Bang The Can	Practical Exercise
2 minutes	The Results	Workbook
2 minutes	Next Actions	Workbook

IMSBC

International Maritime Solid Bulk Cargoes Code INCORPORATING AMENDMENT 04-17 and supplement

You will see key points of section 8 of the Code highlighted on 'post-its' throughout the video and

this delivery guide. You should encourage the participants to recall and record these key points when prompted to do so by the 'post-its' in their workbooks.

The final page of the participant workbook has a 'post-it'

containing these key points.

2018 EDITION

Encourage the participants to keep the pocket card, which lists the key points from the Code with them at all times when dealing with IMSBC Code group A cargoes.

BULK CARGO LIQUEFACTION - THE CANTEST Delivery Guide 3

1. INTRODUCTION - 2 MINUTES

Make sure all your expected participants are present and have a seat at a table where they can see the video screen.

Introduce yourself and the training package.

Tell them it will take no more than 20 minutes.

Give each participant a participant workbook, make sure they have a pen.

You can use this time to explain WHY this training is important – refer them to the infographic in their workbooks on page 3.

2. THE CAN TEST VIDEO - 4 MINUTES

Watch the video yourself before delivering the training

Write down some notes on the post-it if you want to.

Make sure all your participants can see the screen and show the video.

NOTES:

3. CHOOSE YOUR CAN - 2 MINUTES

Familiarise yourself with the answers below and ask your participants how they categorised each container, suitable or unsuitable, and why. Emphasise the IMSBC Code criteria RIGID, CYLINDRICAL, and between 0.5 – 1 L CAPACITY





This can MAY be suitable. It is RIGID but what size is it? If it is between 0.5 and 1L capacity it can be used.

This container is NOT suitable. It is NOT RIGID.



This can is suitable. It is RIGID, CYLINDRICAL and clearly between 0.5 and 1L capacity.



This container is NOT suitable. It is NOT CYLINDRICAL (straight sided) and 1L capacity it CAN NOT be used.

This can MAY be suitable. It is RIGID but what size is it? If it is between 0.5 and 1L capacity it can be used.



This container is NOT suitable. It is NOT RIGID.

IMSBC CODE CRITERIA

Encourage the participants to make a note of the IMSBC Code criteria in this box in their workbooks.

Rigid, Cylindrical, between 0.5 – 1 L Capacity. Whilst it is best practice to use a 0.5L to 1L can, larger cans may be used if none of the correct size are available. But must be rigid and straight sided.



4. BANG THE CAN - PRACTICAL EXERCISE - 8 MINUTES

This is a key part of the training package and should take 8 -10 minutes.

Move your participants to the area you have designated to carry out the can tests.

Ideally issue every participant with a suitable can.

Have a container full of suitable cargo samples ready with a scoop.

Whenever possible have two containers of suitable cargo samples, one wetter than the other. Half of the delegates can test one sample, and the other half can test the wetter sample.

Ideally let every participant conduct a can test.

Walk amongst the participants to ensure they are conducting the test as per the IMSBC Code criteria.

NOTE

Ideally samples of the loaded cargo should be used, however if samples are not available then the exercise can be simulated. THIS IS THE KEY PART OF THIS TRAINING PACKAGE!

5. BANG THE CAN - WORK BOOK - 1 MINUTE

After the can tests encourage the participants to make a note of the criteria in the boxes.

Encourage the participants to make a note of the IMSBC Code criteria in this box in their workbooks.

1-2 Seconds Sharply 25 Times 0.2m height Half Fill

6. THE RESULTS - 2 MINUTES

Ask the participants to compare the results of their can tests with the pictures and statements in their workbooks.

Participants should tick the pictures and statements that match their samples and make a decision on their can test results. They should categorise their sample as either a PASS or FAIL.

Walk amongst the participants, look at their samples and assist where necessary.

Encourage the participants to look at each other's samples and help each other with the decision making process.

If you have used two different samples, one dry and one wet, encourage the participants to compare the results of each test.



PASS Free particles Not flattened out No free water on surface



FAIL Completely flattened



out Looks like a liquid Flows like a liquid Moves in the can Free water on surface


7. NEXT ACTIONS - 2 MINUTES

Use this time to go over the key points in the video and reinforce the key themes of **Choosing The Can**, **Banging The Can** and the **Results**.

Ask the participants to remember what actions were required in the FAIL scenario in the video and ask them to complete the flow table in their workbooks.



Discuss with participants their ideas on actions that can be taken even if the can test passes.



A can test does not confirm that the cargo is safe – only that it is likely **UNSAFE.** But a fail indicates that it may be unsafe.

OUR OFFICES

UK

100 The Quayside Newcastle upon Tyne NE1 3DU UK Telephone: +44 191 2325221 Facsimile: +44 191 2610540

GREECE

4th Floor 61-65 Filonos Str 18535 Piraeus Greece Telephone: +30 210 4283038 Facsimile: +30 210 4280920 Email: Piraeus@nepia.com

JAPAN

Shinkyobashi Building 6th Floor 2-8-8 Kyobashi Chuo-ku Tokyo Japan 104-0031 Telephone: +81 3 5159 5373 Facsimile: +81 3 5250 0003 Email: TokyoOffice@nepia.com

HONG KONG

Room 3011 COSCO Tower 183 Queen's Road Central Hong Kong Telephone: +852 2544 6813 Facsimile: +852 2542 4424 Email: HongKongOffice@nepia.com

SINGAPORE

80 Anson Road 26-03 Fuji Xerox Towers Singapore 079907 Telephone: +65 641 10160 Facsimile: +65 622 40160 Email: SingaporeOffice@nepia.com

NORTH OF ENGLAND MARINE CONSULTANTS (SHANGHAI) LTD CO.

Room 302, Building 7, 18 Gongping Road, Hongkou District, Shanghai, 200082 P.R. China Telephone: +86 21 6087 5988 Facsimile: +86 21 6087 6198 Email: shanghai.marine@nepia.com

NORTH OF ENGLAND P&I DESIGNATED ACTIVITY Company

Harcourt Centre, Block 4 Harcourt Road Dublin 2 D02 HW77 Ireland Telephone: +353 1 477 3051 Email: DublinOffice@nepia.com

THE NORTH OF ENGLAND INSURANCE SERVICES, INC.

140 Broadway, 46th Floor New York, NY 10005 USA Telephone: +1 646 740 1800 Email: NewYork@nepia.com

CONTACT OUR LOSS PREVENTION TEAM ON LOSS.PREVENTION@NEPIA.COM

Disclaimer: This information is intended purely as guidance and is to be used at the user's own risk. No warranty of accuracy is given and users of the information are expected to satisfy themselves that the information is relevant and suitable for the purposes to which it is applied. No responsibility is accepted by the North of England P&I Association Limited, or by any person, firm, corporation or organisation who or which has been in any way concerned with the furnishing of data, the development, compilation, or publication, for the accuracy of any information or advice given herein or for any omission here from or for any consequences whatsoever resulting directly or indirectly from compliance with or adoption of guidance contained therein. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means (electronic, mechanical, photocopying, recording or otherwise) without the written permission of the publisher.

Material from the IMO publication IMSBC Code 2018 Edition is reproduced with the permission of the International Maritime Organization. The quoted material may not be a complete and accurate version of the original publication and the original publication may have subsequently been amended.